

**Cabinet Vision/Channelock Bore Spacing (Center Position) - Cabinet Parts**

				Channelock Fasteners								
				1st	2nd	3rd	4th	5th	6th	7th	8th	9th
Edge Size	>=	100	<=	2440	36							
	>=	200	<	232	36	132						
	>=	232	<	264	36	164						
	>=	264	<	296	36	196						
	>=	296	<	328	36	228						
	>=	328	<	360	36	260						
	>=	360	<	392	36	292						
	>=	392	<	424	36	324						
	>=	424	<	456	36	196	356					
	>=	456	<	488	36	196	388					
	>=	488	<	520	36	228	420					
	>=	520	<	552	36	228	452					
	>=	552	<	584	36	260	484					
	>=	584	<	616	36	260	516					
	>=	616	<	648	36	292	548					
	>=	648	<	680	36	292	580					
	>=	680	<	712	36	324	612					
	>=	712	<	744	36	228	420	644				
	>=	744	<	776	36	228	452	676				
	>=	776	<	808	36	260	484	708				
	>=	808	<	840	36	260	484	740				
	>=	840	<	870	36	260	516	772				
	>=	872	<	904	36	292	548	804				
	>=	904	<	936	36	292	548	836				
	>=	936	<	968	36	292	580	868				
	>=	968	<	1000	36	324	612	900				
	>=	1000	<	1032	36	260	484	708	932			
	>=	1032	<	1064	36	260	484	708	964			
	>=	1064	<	1096	36	260	516	772	996			
	>=	1096	<	1128	36	260	516	772	1028			
	>=	1128	<	1160	36	292	548	804	1060			
	>=	1160	<	1192	36	292	548	804	1092			
	>=	1192	<	1224	36	292	580	836	1124			
	>=	1224	<	1256	36	292	580	836	1156			
	>=	1256	<	1288	36	324	612	900	1188			
	>=	1288	<	1320	36	228	484	740	996	1220		
	>=	1320	<	1352	36	260	516	772	1028	1252		
	>=	1352	<	1484	36	260	516	772	1028	1284		
	>=	1484	<	1416	36	292	548	804	1060	1316		
	>=	1416	<	1448	36	292	548	804	1060	1348		
>=	1448	<	1480	36	260	548	836	1124	1380			
>=	1480	<	1512	36	292	580	868	1156	1412			
>=	1512	<	1544	36	292	580	868	1156	1444			
>=	1544	<	1576	36	324	612	900	1188	1476			
>=	1576	<	1608	36	260	516	772	1028	1284	1508		
>=	1608	<	1640	36	260	516	772	1028	1284	1540		
>=	1640	<	1672	36	292	548	804	1060	1316	1572		
>=	1672	<	1704	36	292	548	804	1060	1316	1604		
>=	1704	<	1736	36	260	548	836	1124	1412	1636		
>=	1736	<	1768	36	260	548	836	1124	1412	1668		
>=	1768	<	1800	36	292	580	868	1156	1444	1700		
>=	1800	<	1832	36	292	580	868	1156	1444	1732		
>=	1832	<	1864	36	324	612	900	1188	1476	1764		
>=	1864	<	1896	36	260	516	772	1028	1284	1540	1796	
>=	1896	<	1928	36	292	548	804	1060	1316	1572	1828	
>=	1928	<	1960	36	292	548	804	1060	1316	1572	1860	
>=	1960	<	1992	36	228	516	804	1092	1380	1668	1892	
>=	1992	<	2024	36	260	548	836	1124	1412	1700	1924	
>=	2024	<	2056	36	260	548	836	1124	1412	1700	1956	
>=	2056	<	2088	36	292	580	868	1156	1444	1732	1988	
>=	2088	<	2120	36	292	580	868	1156	1444	1732	2020	
>=	2120	<	2152	36	324	612	900	1188	1476	1764	2052	
>=	2152	<	2184	36	292	548	804	1060	1316	1572	1828	2084
>=	2184	<	2216	36	292	548	804	1060	1316	1572	1828	2116
>=	2216	<	2248	36	228	516	804	1092	1380	1668	1956	2148
>=	2248	<	2280	36	228	516	804	1092	1380	1668	1956	2180
>=	2280	<	2312	36	260	548	836	1124	1412	1700	1988	2212
>=	2312	<	2344	36	260	548	836	1124	1412	1700	1988	2244
>=	2344	<	2376	36	292	580	868	1156	1444	1732	2020	2276
>=	2376	<	2408	36	292	580	868	1156	1444	1732	2020	2308
>=	2408	<	2440	36	324	612	900	1188	1476	1764	2052	2340

Cabinet Vision/Channelock Bore Spacing (Center Position) - Partition Only

			Channelock Fasteners									
			1st	2nd	3rd	4th	5th	6th	7th	8th	9th	
≥	100	≤	2440	68								
≥	200	<	232	68	164							
≥	232	<	264	68	196							
≥	264	<	296	68	228							
≥	296	<	328	68	260							
≥	328	<	360	68	292							
≥	360	<	392	68	324							
≥	392	<	424	68	356							
≥	424	<	456	68	228	388						
≥	456	<	488	68	228	420						
≥	488	<	520	68	260	452						
≥	520	<	552	68	260	484						
≥	552	<	584	68	292	516						
≥	584	<	616	68	292	548						
≥	616	<	648	68	324	580						
≥	648	<	680	68	324	612						
≥	680	<	712	68	356	644						
≥	712	<	744	68	260	452	676					
≥	744	<	776	68	260	484	708					
≥	776	<	808	68	292	516	740					
≥	808	<	840	68	292	516	772					
≥	840	<	872	68	292	548	804					
≥	872	<	904	68	324	580	836					
≥	904	<	936	68	324	580	868					
≥	936	<	968	68	324	612	900					
≥	968	<	1000	68	356	644	932					
≥	1000	<	1032	68	292	516	740	964				
≥	1032	<	1064	68	292	516	740	996				
≥	1064	<	1096	68	292	548	804	1028				
≥	1096	<	1128	68	292	548	804	1060				
≥	1128	<	1160	68	324	580	836	1092				
≥	1160	<	1192	68	324	580	836	1124				
≥	1192	<	1224	68	324	612	900	1156				
≥	1224	<	1256	68	324	612	900	1188				
≥	1256	<	1288	68	356	644	932	1220				
≥	1288	<	1320	68	260	516	772	1028	1252			
≥	1320	<	1352	68	292	548	804	1060	1284			
≥	1352	<	1384	68	292	548	804	1060	1316			
≥	1384	<	1416	68	324	580	836	1092	1348			
≥	1416	<	1448	68	324	580	836	1092	1380			
≥	1448	<	1480	68	292	580	868	1156	1412			
≥	1480	<	1512	68	324	612	900	1188	1444			
≥	1512	<	1544	68	324	612	900	1188	1476			
≥	1544	<	1576	68	356	644	932	1220	1508			
≥	1576	<	1608	68	292	548	804	1060	1316	1540		
≥	1608	<	1640	68	292	548	804	1060	1316	1572		
≥	1640	<	1672	68	324	580	836	1092	1348	1604		
≥	1672	<	1704	68	324	580	836	1092	1348	1636		
≥	1704	<	1736	68	292	580	868	1156	1444	1668		
≥	1736	<	1768	68	292	580	868	1156	1444	1700		
≥	1768	<	1800	68	324	612	900	1188	1476	1732		
≥	1800	<	1832	68	324	612	900	1188	1476	1764		
≥	1832	<	1864	68	356	644	932	1220	1508	1796		
≥	1864	<	1896	68	292	548	804	1060	1316	1572	1828	
≥	1896	<	1928	68	324	580	836	1092	1348	1604	1860	
≥	1928	<	1960	68	324	580	836	1092	1348	1604	1892	
≥	1960	<	1992	68	260	548	836	1124	1412	1700	1924	
≥	1992	<	2024	68	292	580	868	1156	1444	1732	1956	
≥	2024	<	2056	68	292	580	868	1156	1444	1732	1988	
≥	2056	<	2088	68	324	612	900	1188	1476	1764	2020	
≥	2088	<	2120	68	324	612	900	1188	1476	1764	2052	
≥	2120	<	2152	68	356	644	932	1220	1508	1796	2084	
≥	2152	<	2184	68	324	580	836	1092	1348	1604	1860	2116
≥	2184	<	2216	68	324	580	836	1092	1348	1604	1860	2148
≥	2216	<	2248	68	260	548	836	1124	1412	1700	1988	2180
≥	2248	<	2280	68	260	548	836	1124	1412	1700	1988	2212
≥	2280	<	2312	68	292	580	868	1156	1444	1732	2020	2244
≥	2312	<	2344	68	292	580	868	1156	1444	1732	2020	2276
≥	2344	<	2376	68	324	612	900	1188	1476	1764	2052	2308
≥	2376	<	2408	68	324	612	900	1188	1476	1764	2052	2340
≥	2408	<	2440	68	356	644	932	1220	1508	1796	2084	2372

Edge Size


Cabinet Vision/Lockdowel HClip Bore Spacing Center Positions

		HClip Fasteners										
		1st	2nd	3rd	4th	5th	6th	7th	8th	9th		
>=	100	<=	2440									
>=	212	<	244	36	132							
>=	244	<	276	36	164							
>=	276	<	308	36	196							
>=	308	<	340	36	228							
>=	340	<	372	36	260							
>=	372	<	404	36	292							
>=	404	<	436	36	324							
>=	436	<	468	36	196	356						
>=	468	<	500	36	196	388						
>=	500	<	532	36	228	420						
>=	532	<	564	36	228	452						
>=	564	<	596	36	260	484						
>=	596	<	628	36	260	516						
>=	628	<	660	36	292	548						
>=	660	<	692	36	292	580						
>=	692	<	724	36	324	612						
>=	724	<	756	36	228	420	644					
>=	756	<	788	36	228	452	676					
>=	788	<	820	36	260	484	708					
>=	820	<	852	36	260	484	740					
>=	852	<	884	36	260	516	772					
>=	884	<	916	36	292	548	804					
>=	916	<	948	36	292	548	836					
>=	948	<	980	36	292	580	868					
>=	980	<	1012	36	324	612	900					
>=	1012	<	1044	36	260	484	708	932				
>=	1044	<	1076	36	260	484	708	964				
>=	1076	<	1108	36	260	516	772	996				
>=	1108	<	1140	36	260	516	772	1028				
>=	1140	<	1172	36	292	548	804	1060				
>=	1172	<	1204	36	292	548	804	1092				
>=	1204	<	1236	36	292	580	836	1124				
>=	1236	<	1268	36	292	580	836	1156				
>=	1268	<	1300	36	324	612	900	1188				
>=	1300	<	1332	36	228	484	740	996	1220			
>=	1332	<	1364	36	260	516	772	1028	1252			
>=	1364	<	1396	36	260	516	772	1028	1284			
>=	1396	<	1428	36	292	548	804	1060	1316			
>=	1428	<	1460	36	292	548	804	1060	1348			
>=	1460	<	1492	36	260	548	836	1124	1380			
>=	1492	<	1524	36	292	580	868	1156	1412			
>=	1524	<	1556	36	292	580	868	1156	1444			
>=	1556	<	1588	36	324	612	900	1188	1476			
>=	1588	<	1620	36	260	516	772	1028	1284	1508		
>=	1620	<	1652	36	260	516	772	1028	1284	1540		
>=	1652	<	1684	36	292	548	804	1060	1316	1572		
>=	1684	<	1716	36	292	548	804	1060	1316	1604		
>=	1716	<	1748	36	260	548	836	1124	1412	1636		
>=	1748	<	1780	36	260	548	836	1124	1412	1668		
>=	1780	<	1812	36	292	580	868	1156	1444	1700		
>=	1812	<	1844	36	292	580	868	1156	1444	1732		
>=	1844	<	1876	36	324	612	900	1188	1476	1764		
>=	1876	<	1908	36	260	516	772	1028	1284	1540	1796	
>=	1908	<	1940	36	292	548	804	1060	1316	1572	1828	
>=	1940	<	1972	36	292	548	804	1060	1316	1572	1860	
>=	1972	<	2004	36	228	516	804	1092	1380	1668	1892	
>=	2004	<	2036	36	260	548	836	1124	1412	1700	1924	
>=	2036	<	2068	36	260	548	836	1124	1412	1700	1956	
>=	2068	<	2100	36	292	580	868	1156	1444	1732	1988	
>=	2100	<	2132	36	292	580	868	1156	1444	1732	2020	
>=	2132	<	2164	36	324	612	900	1188	1476	1764	2052	
>=	2164	<	2196	36	292	548	804	1060	1316	1572	1828	2084
>=	2196	<	2228	36	292	548	804	1060	1316	1572	1828	2116
>=	2228	<	2260	36	228	516	804	1092	1380	1668	1956	2148
>=	2260	<	2292	36	228	516	804	1092	1380	1668	1956	2180
>=	2292	<	2324	36	260	548	836	1124	1412	1700	1988	2212
>=	2324	<	2356	36	260	548	836	1124	1412	1700	1988	2244
>=	2356	<	2388	36	292	580	868	1156	1444	1732	2020	2276
>=	2388	<	2420	36	292	580	868	1156	1444	1732	2020	2308
>=	2420	<	2440	36	324	612	900	1188	1476	1764	2052	2340

Cabinet Vision/Lockdowel Spring Pin Bore Spacing Center Positions

		Spring Pin Fasteners										
		1st	2nd	3rd	4th	5th	6th	7th	8th	9th		
>=	100	<=	2440									
>=	212	<	244	84	180							
>=	244	<	276	84	212							
>=	276	<	308	84	244							
>=	308	<	340	84	276							
>=	340	<	372	84	308							
>=	372	<	404	84	340							
>=	404	<	436	84	372							
>=	436	<	468	84	244	404						
>=	468	<	500	84	244	436						
>=	500	<	532	84	276	468						
>=	532	<	564	84	276	500						
>=	564	<	596	84	308	532						
>=	596	<	628	84	308	564						
>=	628	<	660	84	340	596						
>=	660	<	692	84	340	628						
>=	692	<	724	84	372	660						
>=	724	<	756	84	276	468	692					
>=	756	<	788	84	276	500	724					
>=	788	<	820	84	308	532	756					
>=	820	<	852	84	308	532	788					
>=	852	<	884	84	308	564	820					
>=	884	<	916	84	340	596	852					
>=	916	<	948	84	340	596	884					
>=	948	<	980	84	340	628	916					
>=	980	<	1012	84	372	660	948					
>=	1012	<	1044	84	308	532	756	980				
>=	1044	<	1076	84	308	532	756	1012				
>=	1076	<	1108	84	308	564	820	1044				
>=	1108	<	1140	84	308	564	820	1076				
>=	1140	<	1172	84	340	596	852	1108				
>=	1172	<	1204	84	340	596	852	1140				
>=	1204	<	1236	84	340	628	916	1172				
>=	1236	<	1268	84	340	628	916	1204				
>=	1268	<	1300	84	372	660	948	1236				
>=	1300	<	1332	84	276	532	788	1044	1268			
>=	1332	<	1364	84	308	564	820	1076	1300			
>=	1364	<	1396	84	308	564	820	1076	1332			
>=	1396	<	1428	84	340	596	852	1108	1364			
>=	1428	<	1460	84	340	596	852	1108	1396			
>=	1460	<	1492	84	308	596	884	1172	1428			
>=	1492	<	1524	84	340	628	916	1204	1460			
>=	1524	<	1556	84	340	628	916	1204	1492			
>=	1556	<	1588	84	372	660	948	1236	1524			
>=	1588	<	1620	84	308	564	820	1076	1332	1556		
>=	1620	<	1652	84	308	564	820	1076	1332	1588		
>=	1652	<	1684	84	340	596	852	1108	1364	1620		
>=	1684	<	1716	84	340	596	852	1108	1364	1652		
>=	1716	<	1748	84	308	596	884	1172	1460	1684		
>=	1748	<	1780	84	308	596	884	1172	1460	1716		
>=	1780	<	1812	84	340	628	916	1204	1492	1748		
>=	1812	<	1844	84	340	628	916	1204	1492	1780		
>=	1844	<	1876	84	372	660	948	1236	1524	1812		
>=	1876	<	1908	84	308	564	820	1076	1332	1588	1844	
>=	1908	<	1940	84	340	596	852	1108	1364	1620	1876	
>=	1940	<	1972	84	340	596	852	1108	1364	1620	1908	
>=	1972	<	2004	84	276	564	852	1140	1428	1716	1940	
>=	2004	<	2036	84	308	596	884	1172	1460	1748	1972	
>=	2036	<	2068	84	308	596	884	1172	1460	1748	2004	
>=	2068	<	2100	84	340	628	916	1204	1492	1780	2036	
>=	2100	<	2132	84	340	628	916	1204	1492	1780	2068	
>=	2132	<	2164	84	372	660	948	1236	1524	1812	2100	
>=	2164	<	2196	84	340	596	852	1108	1364	1620	1876	2132
>=	2196	<	2228	84	340	596	852	1108	1364	1620	1876	2164
>=	2228	<	2260	84	276	564	852	1140	1428	1716	2004	2196
>=	2260	<	2									

# HClip 1/4 Back and Nailers



# Channellock 1/4 Back and Nailers

